




**BONNET GRANDE CUISINE**

**Registered office:**

Rue des Frères Lumière - Z.I Mitry Compans

F-77292 MITRY MORY Cedex

## **ADVANCIA, Electric cooking unit, CERAMIC RINGS on open cupboard**



**3 mm Top**



**FlushTop**



**EasyCleaningSystem**

### **CERAMIC RINGS B1A9FIR4PE**



*\* Shown with door  
kit Accessory*

### **ADVANCIA ASSETS**

**3mmTop** : One piece 3mm thick stainless steel structure.

**FlushTop** : Module can be butt jointed.

**EasyCleaningSystem** : Plate is flush with the worktop.

### **GENERAL**

- \* All stainless steel construction designed to avoid any infiltration.
- \* Unfailing sturdy equipment for direct wall fixation.
- \* Controls grouped together and recessed protecting them for impact and spillages.
- \* Appliance delivered with 200mm fixed stand with 4 adjustable feet.

### **CERAMIC RINGS**

- \* Comprises two square hobs each 4000 Watts (or 3500 Watts depending on voltage) located under a 6mm thick high thermal resistant vitroceramic plate inset into a one piece top.
- \* Each hob is controlled by a thermostat with indicator light providing a temperature range of 60 to 450°C.
- \* Thermal safety under each hob.

### **OPEN CUPBOARD**

- \* Cupboard suitable for GN 1/1 cookware, stainless base with raised edges to prevent drips (400mm wide).

### **OPTION**

- \* One-piece wall or central top.

### **ACCESSORIES**

- \* See technical data : General features.

### **STANDARDS : Compliance with standards**

**EN 60335-2-36 and EN 60335- 2-49**: European standards relating to the safety of electric appliances. (French standards: Classification index C 73-836 and C 73-849).


**IP 25 and IK 9**: Protection indexes.

**XP U 60-010**: Hygiene.



**B1A9FIR4PE**

**ELECTRICAL connection**  
Electric inlet at 615mm from the floor  
(Flexible cable 1.5 m in length)


**DIMENSIONS (mm)**

Width	400
Depth x Height	920 x 927
Ceramic plate	334 x 754

**PACKAGING (mm)**

Width	540
Depth x Height	1060 x 700

**WEIGHT (KG)**

55

**COMPOSITION OF TOP**

Hobs of 3.5 or 4 kW	2
---------------------	---

**COMPOSITION OF THE BOTTOM PART**

Width of cupboard	400
-------------------	-----

**ELECTRICITY** (Three-phase 230V+E or 400V+N+E)

**Appliance**

Power (kW)	230V 3a.c.	7
	400V 3Na.c.	8
Max. Intensity (A)	230V 3a.c.	26.4
	400V 3Na.c.	17.3

**Accessory cupboard heating kit** (to be added to the total power of the appliance)

Power (kW)	230V 3a.c.	1
	400V 3Na.c.	1